

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 07.11.2023 Revision date: 10.04.2024 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : ORLEN OIL AGRO BASIC STOU 10W-30

Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricating agent

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

ORLEN OIL Sp. z o.o. ul. Elbląska 135 80-718 Gdańsk

T +48 12 66 555 00 / +48 12 66 555 01

centrala@orlenoil.pl

E-mail address of competent person responsible for the SDS: msds@orlenoil.pl

BDO 000026343

#### 1.4. Emergency telephone number

Emergency number : Emergency contact + 48 242010367, +48 242869509, +48242869556 (7:00-15:00)

Emergency number 112

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to properly labelled waste containers according to the

national law.

EUH phrases : EUH208 - Contains 2-tetradecyloxirane, reaction products with boric acid (701-392-2),

triphenyl phosphite (101-02-0). May produce an allergic reaction.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, substance with national workplace exposure limit(s) (CZ, PL, SK)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≤ 85,5	Not classified
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	1,35 – 2,7	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Calcium branched alkyl phenate sulphide (overbased)	-	0,68 - 1,35	Aquatic Chronic 4, H413
2-tetradecyloxirane, reaction products with boric acid	CAS-No.: 701-392-2 REACH-no: 01-2119976364- 28	0,14 - 0,68	Skin Sens. 1B, H317
triphenyl phosphite	CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213- 58	0,03 – 0,14	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg body weight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched substance listed as REACH Candidate (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP))	CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207-	0,01 - 0,04	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	(50 < C ≤ 100) Eye Dam. 1, H318 (50 ≤ C < 80) Eye Irrit. 2, H319
triphenyl phosphite	CAS-No.: 101-02-0 EC-No.: 202-908-4 EC Index-No.: 015-105-00-7 REACH-no: 01-2119511213-58	(5 ≤ C ≤ 100) Skin Irrit. 2, H315 (5 ≤ C ≤ 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Take off immediately all contaminated clothing and wash it

before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

advice/attention.

First-aid measures after ingestion : If you feel unwell, seek medical advice. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, or water spray or regular foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

10.04.2024 (Revision date) EN (English US) 3/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Store in a well-ventilated place. Keep cool.

Storage temperature : -20 - 40 °C

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LCK 20 L

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

ORLEN OIL AGRO BASIC STOU 10W-30	
Czech Republic - Occupational Exposure Limits	
Local name	Oleje minerální (Minerální oleje)
PEL (OEL TWA)	5 mg/m³ (aerosol)
NPK-P (OEL C)	10 mg/m³ (aerosol)
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland - Occupational Exposure Limits		
NDS (OEL TWA)  5 mg/m³ frakcja wdychalna  Coleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wni przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagroż zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286 wraz z późn. zm.  Slovakia - Occupational Exposure Limits  Local name  Oleje minerálne  NPHV (OEL TWA)  1 mg/m³ kvapalný aerosól, dymy  5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  Remark  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
Remark  Oleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wni przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagroż zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286 wraz z późn. zm.  Slovakia - Occupational Exposure Limits  Local name  Oleje minerálne  NPHV (OEL TWA)  1 mg/m³ kvapalný aerosól, dymy  5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  Remark  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje n obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wni przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagroz zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286 wraz z późn. zm.  Slovakia - Occupational Exposure Limits  Local name Oleje minerálne  NPHV (OEL TWA) 1 mg/m³ kvapalný aerosól, dymy 5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL) 3 mg/m³ kvapalný aerosól, dymy  15 ppm kvapalný aerosól, dymy  Remark Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
Slovakia - Occupational Exposure Limits  Local name  Oleje minerálne  1 mg/m³ kvapalný aerosól, dymy 5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  15 ppm kvapalný aerosól, dymy  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	ikająca	
Local name    Oleje minerálne		
NPHV (OEL TWA)  1 mg/m³ kvapalný aerosól, dymy  5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  15 ppm kvapalný aerosól, dymy  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
5 ppm kvapalný aerosól, dymy  NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  15 ppm kvapalný aerosól, dymy  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy  15 ppm kvapalný aerosól, dymy  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje n obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
15 ppm kvapalný aerosól, dymy  Remark  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
Remark  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.  Regulatory reference  Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
Czech Republic - Occupational Exposure Limits		
Local name Oleje minerální (Minerální oleje)		
PEL (OEL TWA) 5 mg/m³ (aerosol)		
NPK-P (OEL C) 10 mg/m³ (aerosol)		
Regulatory reference Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)		
Poland - Occupational Exposure Limits		
Local name Oleje mineralne wysokorafinowane z wyłączeniem cieczy obróbkowych		
NDS (OEL TWA) 5 mg/m³ frakcja wdychalna		
Remark  Oleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wni przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagroż zdrowia.	ikająca	
Regulatory reference Dz. U. 2018 poz. 1286 wraz z późn. zm.		
Slovakia - Occupational Exposure Limits		
Local name Oleje minerálne		
NPHV (OEL TWA) 1 mg/m³ kvapalný aerosól, dymy		
5 ppm kvapalný aerosól, dymy		
NPHV (OEL STEL)  3 mg/m³ kvapalný aerosól, dymy		
15 ppm kvapalný aerosól, dymy		
Remark  Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje nobsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňov to brať do úvahy pri meraní a hodnotení rizika.		
Regulatory reference Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	5,4 mg/m³ 8 hours
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1,2 mg/m³ 24 hours
PNEC (Oral)	
PNEC oral (secondary poisoning)	9,33 mg/kg food mammalian

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses (EN 166)

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves against chemicals (EN 374)

#### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Color : amber. Odor : characteristic. Odor threshold : Not available Melting point : Not applicable Freezing point : < -30 °C Boiling point Not available Flammability : Non flammable. Explosive properties : No data available. **Explosion limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 210 °C Flash point Not available Auto-ignition temperature Not available Decomposition temperature рΗ : Not available

Viscosity, kinematic : ≈ 68 mm²/s 40°C Solubility : insoluble in water. Soluble in hydrocarbons.

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified  Triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)	Acute toxicity (inhalation)	: Not classified	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)  LD50 oral rat  2100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95%, CL: 1820 - 2730  LD50 dermal rabbit  21500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95%, CL: 1820 - 2730  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)  LD50 oral rat  5000 mg/kg  LD50 dermal rabbit  5000 mg/kg  LC50 Inhalation - Rat  5000 mg/kg  LD50 oral rat  25000 mg/kg  25	triphenyl phosphite (101-02-0)		
D860 oral rat   2100 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1620 - 2730   75000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   75000 mg/kg body weight Animal: rat, Guideline: OECD Guideline:	LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: other:	
Toxicity), 95% CL: 1620 - 2730	phenol, dodecyl-, branched; phenol, 2	-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)   Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)   Display	LD50 oral rat		
LD50 oral rat   S000 mg/kg     LC50 Inhalation - Rat   > 5 mg/l     LD50 oral rat   > 5 mg/l     LD50 oral rat   3100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1800 - 5100     LD50 oral rat   3100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1800 - 5100     LD50 dermal rabbit   > 5000 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)     Skini corrosion/irritation   Not classified   402 (Acute Dermal Toxicity)     Skini corrosion/irritation   Not classified   Not classified     Respiratory or skin sensitization   Not classified   Not classified     Respiratory or skin sensitization   Not classified   Not classified     Reproductive toxicity   Not classified   Not classified     StoT-repeated exposure   Not classified   Not classified     StoT-repeated exposure   Not classified     StoT-re	LD50 dermal rabbit		
L050 dermal rabbit   > 5000 mg/kg	Distillates (petroleum), hydrotreated h	eavy paraffinic, Baseoil - unspecified, (64742-54-7)	
L050 Inhalation - Rat   > 5 mg/l	LD50 oral rat	5000 mg/kg	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos-bate) (4259-15-8)  LD50 oral rat  LD50 oral rat  A100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1800 - 5100  LD50 dermal rabbit  - 5000 mg/kg body weight Animal: rat bbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  Skin corrosion/irritation  - 5000 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  Skin corrosion/irritation  - 5000 mg/kg body weight Animal: rat bbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  Skin corrosion/irritation  - 5000 mg/kg body weight Animal: rat bbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  - 5000 mg/kg body weight Animal: rat gbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity Storty or skin sensitization  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  - 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Repeated Dose 28-Day Oral Toxicity Study	LD50 dermal rabbit	> 5000 mg/kg	
LD50 oral rat    S100 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1800 - 5100    LD50 dermal rabbit	LC50 Inhalation - Rat	> 5 mg/l	
Cacute Oral Toxicity), 95% CL: 1800 - 5100	zinc bis[O,O-bis(2-ethylhexyl)] bis(dith	niophosphate) (4259-15-8)	
402 (Acute Dermal Toxicity)   Skin corrosion/irritation	LD50 oral rat		
Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)	LD50 dermal rabbit		
Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Story in Not classified Reproductive toxicity STOT-single exposure STOT-repeated exposure Not classified STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  STOT-repeated exposure STOT-r	Skin corrosion/irritation	: Not classified	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)	Serious eye damage/irritation	: Not classified	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified  triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)		: Not classified	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated (101-02-0)  NOAEL (oral,rat,90 days)	Germ cell mutagenicity	: Not classified	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified  triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)	Carcinogenicity	: Not classified	
triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)  15 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  NOAEL (oral,rat,90 days)  125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Aspiration hazard  Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic  * 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		: Not classified	
triphenyl phosphite (101-02-0)  NOAEL (oral,rat,90 days)  15 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  NOAEL (oral,rat,90 days)  125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Aspiration hazard  ∴ Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic  ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	• .		
NOAEL (oral,rat,90 days)  15 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  STOT-repeated exposure  May cause damage to organs through prolonged or repeated exposure.  zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  NOAEL (oral,rat,90 days)  125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Aspiration hazard  Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic  ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	STOT-repeated exposure	: Not classified	
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)  STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.  zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  NOAEL (oral,rat,90 days) 125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Aspiration hazard : Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	triphenyl phosphite (101-02-0)		
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  NOAEL (oral,rat,90 days)  125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)  Aspiration hazard: Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic: ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	NOAEL (oral,rat,90 days)		
NOAEL (oral,rat,90 days)  125 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents)  Aspiration hazard : Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Day Oral Toxicity Study in Rodents)  Aspiration hazard: Not classified  ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic: ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
ORLEN OIL AGRO BASIC STOU 10W-30  Viscosity, kinematic ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	NOAEL (oral,rat,90 days)		
Viscosity, kinematic ≈ 68 mm²/s 40°C  Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	Aspiration hazard	: Not classified	
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	ORLEN OIL AGRO BASIC STOU 10W-	30	
	Viscosity, kinematic	≈ 68 mm²/s 40°C	
Viscosity, kinematic > 20,5 mm²/s 40°C	Distillates (petroleum), hydrotreated h	eavy paraffinic, Baseoil - unspecified, (64742-54-7)	
	Viscosity, kinematic	> 20,5 mm²/s 40°C	

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Component	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 11.2.2. Other information

No additional information available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

Not rapidly degradable

triphenyl phosphite (101-02-0)		
LC50 - Fish [1]	> 12 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5)		
EC50 - Crustacea [1]	0,037 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0,15 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0,36 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	0,012 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0,0037 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)		
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout) 28 days	
NOEC chronic crustacea	100 mg/l Daphnia magna (Water flea) 21 days	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
LC50 - Fish [1]	46 mg/l Test organisms (species): Cyprinodon variegatus	
LC50 - Fish [2]	46 mg/l Test organisms (species):	
LC50 - Other aquatic organisms [1]	≈ 4,4 mg/l Rainbow trout	
EC50 - Other aquatic organisms [1]	75 mg/l Daphnia magna (Water flea)	
NOEC chronic fish	0,4 mg/l Daphnia magna (Water flea)	

### 12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, (64742-54-7)	
Biodegradation 31,13 % 21 days	
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
Biodegradation < 5 % OECD TG 301 D	

### 12.3. Bioaccumulative potential

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Partition coefficient n-octanol/water (Log Kow)	≈ 3,6	

### 12.4. Mobility in soil

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

### Component

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched (121158-58-5) The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

#### 12.7. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

 $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$ 

HP code

: HP4 - "Irritant - skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

**ADN** 

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

10.04.2024 (Revision date) EN (English US) 10/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances.

#### **REACH Candidate List (SVHC)**

Contains REACH candidate substances

### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

### 15.1.2. National regulations

#### Austria

Austrian National Regulations

: Ordinance of the Federal Minister for Economic Affairs, the Federal Minister for Public Economy and Transport, the Federal Minister for Health, Sport and Consumer Protection and the Federal Minister for Labor and Social Affairs on the storage and filling of flammable liquids (Ordinance on Flammable Liquids - VbF).

Ordinance of the Federal Minister for Agriculture, Forestry, Environment and Water Management on the authorization to purchase poisons, the obligation to record and on special protective measures when dealing with poisons (Poison Ordinance 2000).

#### Belgium

**Belgian National Regulations** 

: Subject to Biocides closed circuit.

#### Bulgaria

**Bulgarian National Regulations** 

: Law of protection from the harmful impact of the chemical substances and mixtures. Waste management law.

Ordinance on the conditions and manner for storage of hazardous chemical substances and

Ordinance on the requirements for the treatment and transportation of waste oils and oil products

Ordinance on prevention of major accidents involving dangerous substances and limitation their consequences.

Ordinance No 10 on protection of workers from risks involving exposure to carcinogens and mutagens during work.

Ordinance No 13 on protection of workers from the risks related to exposure to chemical agents at work.

Ordinance No.3 on the minimum requirements for the workers' safety and health protection in using personal protection means at the workplace.

Ordinance No. 6 on the terms and conditions for granting permission for work of persons under 18 years of age.

Ordinance No. RD-07-4 on improvement of the working conditions of pregnant workers and workers have recently given birth or nursing mothers.

Health and Safety at Work Act. Environmental Protection Act.

### Croatia

Croatian National Regulations

: Chemicals Act, Regulation on classification, labelling and packaging of chemicals, Regulations on dangerous substances.

Waste Act, Waste types regulations, Packaging Waste Regulation, Dangerous. exposure limits on the workplace and biological exposure limits, Regulation (EC) no. 1907/2006. Traffic Safety Act.

Waste Regulation.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Czech Republic

Czech National Regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Commission Regulation (EU) No. 453/2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Government Regulation no. 330/2023 Coll, amending Regulation no. 361/2007 Coll, governing the conditions of Health Protection at Work, as amended.

Act no. 111/1994 Coll, on road transport and Decree no. 64/1987 Coll, on European Agreement concerning the International Carriage of Dangerous Goods (ADR), as amended, and related regulations.

Act no. 541/2020 Coll, on waste and amendment of some other acts, as amended.

Act no. 258/2000 Coll, on Public Health Care.

Act no. 350/2011 Coll. on chemical substances and mixtures and amendment of some other acts (Chemical Act).

#### Germany

**Employment restrictions** 

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BlmSchV)

: WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

#### Hungary

**Hungarian National Regulations** 

: 25/2000. (IX.30.) Joint Provision of the Ministry of Health and Social and Family Affairs on the Occupational Safety in Chemistry.

26/2000 (IX.30) Provision of the Ministry of Health on the occupational safety measures against carcinogenic substances and the prevention of health impairments caused by them. Act CLXXXV of 2012 on waste.

Act XXV. of 2000 on the Safety in Chemistry, 44/2000. (XII. 27.) Provision of the Ministry of Health on detailed rules of procedures and activities related to hazardous substances and preparations.

#### Latvia

Latvian National Regulations

: Cabinet Regulation No. 302, adopted 19 April 2011 "Regulations Regarding Waste Classification and Properties Rendering Waste Hazardous".

Cabinet Regulation No. 325, adopted 15 May 2007 "Labour Protection Requirements when

Coming in Contact with Chemical Substances at Workplaces".

Cabinet Regulation No. 628, adopted 27 August 2013 "Requirements in Relation to Activities with Biocidal Products".

Cabinet Regulation No. 494, adopted 7 August 2018 "Waste shipment accounting

procedures".

Cabinet Regulation No. 795, adopted 22 December 2015 "Procedures for Registration of Chemical Substances and Mixtures and Their Database".

### Netherlands

ABM category

: Z(1) - non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioacumulative potential/ toxicity or persistence)

SZW-lijst van kankerverwekkende stoffen

: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched, Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, are

SZW-lijst van mutagene stoffen

: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched, Distillates (petroleum), hydrotreated heavy paraffinic, Baseoil - unspecified, are

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched is

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

: None of the components are listed

#### Denmark

**Danish National Regulations** 

: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

10.04.2024 (Revision date) EN (English US) 13/17

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Norway

Norwegian National Regulations

: People who handle isocyanate-based products need to receive instructions on the characteristics of the compound and be familiar with the working methods which need to be adopted to avoid health hazards.

People under the age of 18 may not work with this product at all.

People who have chronic respiratory disorders should not work with isocyanate-based products

This training must be provided by a qualified staff.

Only people with former education or training on the subject may be allowed to work with isocyanate-based products, manage or monitor such work.

The user needs to be instructed on how to execute such work, on the dangers surrounding such a product and on the necessary safety instructions.

#### Sweden

**Swedish National Regulations** 

: This product is in compliance with Ordinance 1998:944.

#### **Poland**

Polish National Regulations

: The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).

Regulation of the Minister of Economy of 21 December 2005 on the essential requirements for personal protective equipment (J. o L. No. 259, item 2173).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

Regulation of the Minister of Health of 10 August 2012 on the criteria and classification method of chemical substances and their mixtures (consolidated text: J. o L. 2015, item 208).

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Health of 20 April 2012 on labelling of hazardous substances and hazardous mixtures and certain mixtures (consolidated text: J. o L. 2015, item 450). Regulation of the Minister of Environment of 3 September 2014 on designs of packaging labelling (J. o L. 2014 item 1298).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

The ADR Agreement - Annex to the J. o L. of 26 April 2019 Government Statement of 18 February 2019 on the entry into force of the amendments to Annex A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o L. 2019, item 769).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Romania

Romanian National Regulations

: Government Decision 1093 of 2006 on establishing the minimum safety and health requirements for the protection of workers against the risks related to exposure to carcinogenic agents or mutagens in the workplace.

Government Decision no. 1408 regarding the classification, packaging and labeling for dangerous substances.

Government Decision no. 398 of 2010 regarding the application of Regulation (EC) 1272/2008.

Government Decision no. 477 of 2009 regarding the establishment of the sanctions applicable for the violation of the provisions of Regulation (EC) no. 1.907/2006. Government Decision no. 937 of 2010 regarding the classification, packaging and labeling of dangerous preparations.

Government Emergency Ordinance no. 122 of 2010 regarding the establishment of the sanctions applicable for the violation of the provisions of Regulation (EC) no. 1272/2008. Law no. 263 of 2005 regarding the modification and completion of Law no. 360 of 2003 regarding the regime of dangerous chemical substances and preparations.

Law no. 349 of 2007 regarding the management of chemical substances amended by Law no. 249/2011 and through GEO no. 60/2013.

Law no. 360 of 2003 regarding the regime of dangerous substances and preparations, completed by Law no. 263 of 2005 and Law no. 254 of 2011.

#### Slovenia

Slovenian National Regulations

: Decision on the publishing of the Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).

Decree on waste management.

Decree on packaging and packaging waste handling.

Rules on the classification, packaging and labelling of dangerous preparations. Rules on the classification, packaging and labelling of dangerous substances. Rules on the protection of workers from the risks related to exposure to chemical substances at work.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. Chemicals Act (ZKem).

### Switzerland

Swiss National Regulations

: Article 13 Order on the protection of maternity (RS 822.111.52):

Pregnant women and breastfeeding mothers cannot come into contact with this product (this substance/this preparation) when working except where it has been established, on the basis of a risk analysis performed in accordance with Art. 63 OLT 1 (RS 822.111), that there is no concrete threat to the health of the mother or baby or that said threat can be excluded thanks to the suitable protection measures taken.

Article 4, subparagraph 4 Order on the protection of young workers (OLT 5, RS 822.115) and Article 1, letter f Order of the DEFR on dangerous works for young workers (822.115.2): Young workers undergoing initial professional training cannot work with this product (this substance/this preparation) except where envisaged in the order of professional training to achieve the training purposes and if the training plan conditions and applicable age limits are respected. Young workers who do not undergo initial professional training cannot work with this product (this substance/this preparation). Workers of either sex aged under 18 years old are considered as young.

Observe the Chemical Risk Reduction Ordinance (SR 814.81).

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

10.04.2024 (Revision date) EN (English US) 15/17

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 16: Other information**

Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
EN	European Standard			
IARC International Agency for Research on Cancer				
IATA	International Air Transport Association			
IMDG International Maritime Dangerous Goods				
LC50	Median lethal concentration			
LD50 Median lethal dose				
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD Organisation for Economic Co-operation and Development				
OEL	Occupational Exposure Limit			
PBT	Persistent Bioaccumulative Toxic			
PNEC Predicted No-Effect Concentration				
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
ThOD Theoretical oxygen demand (ThOD)				
TLM Median Tolerance Limit				
VOC Volatile Organic Compounds				
CAS-No. Chemical Abstract Service number				
N.O.S. Not Otherwise Specified				
vPvB Very Persistent and Very Bioaccumulative				
ED Endocrine disrupting properties				

Full text of H- and EUH-phrases:	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-phrases:				
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2			
Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard Category 3				
Aquatic Chronic 4 Hazardous to the aquatic environment – Chronic Hazard Category 4				
EUH208	JH208 Contains 2-tetradecyloxirane, reaction products with boric acid (701-392-2), triphenyl phosphite (101-02-0). May produce an allergic reaction.			
Eye Dam. 1	Serious eye damage/eye irritation Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H360F	May damage fertility.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
H413	May cause long lasting harmful effects to aquatic life.			
Repr. 1B	Reproductive toxicity Category 1B			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Irrit. 2	Skin corrosion/irritation Category 2			
Skin Sens. 1	Skin sensitization, Category 1			
Skin Sens. 1B	Skin sensitization, Category 1B			
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/200		
Aquatic Chronic 3	H412	Calculation method

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.