

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 5/11/2006 Revision date: 4/2/2024 Supersedes version of: 2/7/2023 Version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : ORLEN OIL Hipol 15F
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use

Use of the substance/mixture : gear oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ORLEN OIL Sp. z o.o.

ul. Elbląska 135

80-718 Gdańsk

T +48 12 66 555 00 / +48 12 66 555 01

centrala@orlenoil.pl

E-mail address of competent person responsible for the SDS : msds@orlenoil.pl

1.4. Emergency telephone number

Emergency number : Emergency contact + 48 242010367, +48 242869509, +48242869556 (7:00-15:00)

Emergency number 112

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; substance with national workplace exposure limit(s) (CZ, PL, SK)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≤ 65	Not classified
Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil—unspecified substance with national workplace exposure limit(s) (CZ, PL, SK) (Note L)	CAS-No.: 101316-69-2 EC-No.: 309-874-0 EC Index-No.: 649-527-00-3 REACH-no: 01-2119486948- 13	32	Not classified
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43	1.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43	(46 ≤ C < 100) Skin Sens. 1B, H317

Note L - The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, or water spray or regular foam.

: Strong water jet. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

: Take up liquid spill into absorbent material. Methods for cleaning up

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : -20 - 40 °C

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7 Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ORLEN OIL Hipol 15F		
Czech Republic - Occupational Exposure Limits		
Local name	Oleje minerální (Minerální oleje)	
PEL (OEL TWA)	5 mg/m³ (aerosol)	
NPK-P (OEL C)	10 mg/m³ (aerosol)	
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)	
Poland - Occupational Exposure Limits		
Local name	Oleje mineralne wysokorafinowane z wyłączeniem cieczy obróbkowych	
NDS (OEL TWA)	5 mg/m³ frakcja wdychalna	
Remark	Oleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które nie są sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.	
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.	
Slovakia - Occupational Exposure Limits		
Local name	Oleje minerálne	
NPHV (OEL TWA)	1 mg/m³ kvapalný aerosól, dymy	
	5 ppm kvapalný aerosól, dymy	
NPHV (OEL STEL)	3 mg/m³ kvapalný aerosól, dymy	
	15 ppm kvapalný aerosól, dymy	
Remark	Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje môžu obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňovať. Treba to brať do úvahy pri meraní a hodnotení rizika.	
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)	
Distillates (petroleum), hydrotreated heavy pa	rraffinic; Baseoil— unspecified; (64742-54-7)	
Czech Republic - Occupational Exposure Limits		
Local name	Oleje minerální (Minerální oleje)	
PEL (OEL TWA)	5 mg/m³ (aerosol)	
NPK-P (OEL C)	10 mg/m³ (aerosol)	
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)	
Poland - Occupational Exposure Limits		
Local name	Oleje mineralne wysokorafinowane z wyłączeniem cieczy obróbkowych	
NDS (OEL TWA)	5 mg/m³ frakcja wdychalna	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy p	araffinic; Baseoil— unspecified; (64742-54-7)
Remark	Oleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które nie są sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.
Slovakia - Occupational Exposure Limits	
Local name	Oleje minerálne
NPHV (OEL TWA)	1 mg/m³ kvapalný aerosól, dymy
	5 ppm kvapalný aerosól, dymy
NPHV (OEL STEL)	3 mg/m³ kvapalný aerosól, dymy
	15 ppm kvapalný aerosól, dymy
Remark	Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje môžu obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňovať. Treba to brať do úvahy pri meraní a hodnotení rizika.
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Lubricating oils (petroleum), C>25, solvent-e 69-2)	xtd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-
Czech Republic - Occupational Exposure Limits	
Local name	Oleje minerální (Minerální oleje)
PEL (OEL TWA)	5 mg/m³ (aerosol)
NPK-P (OEL C)	10 mg/m³ (aerosol)
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)
Poland - Occupational Exposure Limits	
Local name	Oleje mineralne wysokorafinowane z wyłączeniem cieczy obróbkowych
NDS (OEL TWA)	5 mg/m³ frakcja wdychalna
Remark	Oleje mineralne wysokorafinowane to oleje z nieistotną zawartością WWA, które nie są sklasyfikowane jako rakotwórcze w UE. Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286 wraz z późn. zm.
Slovakia - Occupational Exposure Limits	
Local name	Oleje minerálne
NPHV (OEL TWA)	1 mg/m³ kvapalný aerosól, dymy
	5 ppm kvapalný aerosól, dymy
NPHV (OEL STEL)	3 mg/m³ kvapalný aerosól, dymy
	15 ppm kvapalný aerosól, dymy
Remark	Limit sa vzťahuje na hydraulické a obrábacie kvapaliny a mazivá. Niektoré oleje môžu obsahovať polycyklické aromatické uhľovodíky a pri zahrievaní ich môžu uvoľňovať. Treba to brať do úvahy pri meraní a hodnotení rizika.
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Distulates (petroleum), hydrotreated heavy parathric; Basoil— unspecified; (4742-54-7) Distulates (Petroleum), bydrogram of the surface of t	5.1.4. DNEL and FNEC		
Long-term - local effects, inhalation 5.4 mg/m² 8 hours PNEC (Oral) PNEC oral (secondary polsoning) 3.33 mg/kg food mammalian Polysulfides, di-tert-Bu (68937-96-2) POMEL (Workers) Long-term - systemic effects, inhalation 3.29 mg/m² Long-term - systemic effects, inhalation 3.29 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.167 mg/kg bodyweight/day Long-term - systemic effects, dermal 0.167 mg/kg bodyweight/day PNEC (Water) 1.67 mg/kg bodyweight/day PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marrine water) 0.24 µg/l PNEC aqua (marrine water) 0.924 µg/l PNEC soul (marrine water) 0.94 mg/kg dwt	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)		
DNEL/DMEL (General population)			
Long-term - local effects, inhalation 1.2 mg/m² 24 hours PNEC (oral) PNEC oral (secondary poisoning) 9.33 mg/kg food mammalian Polysulfides, di-tert-Bu (68937-96-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 4.67 mg/kg bodyweight/day Long-term - systemic effects, inhalation 3.29 mg/m² DNEL/DMEL (General population) DNEL/DMEL (General population) Long-term - systemic effects, oral 0.167 mg/kg bodyweight/day Long-term - systemic effects, dermal 0.58 mg/m² PNEC (Water) 0.024 µg/l PNEC aqua (freshwater) 0.0024 µg/l PNEC aqua (freshwater) 0.0024 mg/l PNEC (Sediment) 0.094 mg/kg dwt PNEC (Sediment) 1.81 µg/kg dw PNEC (Sel) 1.81 µg/kg dw PNEC (Sel) 1.82 µg/kg dw PNEC (Sel) 1.82 µg/kg fw<	Long-term - local effects, inhalation	5.4 mg/m³ 8 hours	
PNEC oral (secondary poisoning) 9.33 mg/kg food mammalian Polysulfides, di-tert-Bu (68937-96-2) DNELI/DMEL (Workers) Long-term - systemic effects, rhalation 3.29 mg/m² DNELI/DMEL (General population) Long-term - systemic effects, rhalation 3.29 mg/m² DNELI/DMEL (General population) Long-term - systemic effects, rankalation 0.58 mg/m² Long-term - systemic effects, demal 0.167 mg/kg bodyweight/day Long-term - systemic effects, demal 0.58 mg/m² Long-term - systemic effects, demal 0.58 mg/m² PNEC Qual (freshwater) 0.524 μg/l PNEC Qual (marrine water) 0.0024 μg/l PNEC aqua (freshwater) 0.0024 μg/l PNEC sediment (freshwater) 0.0044 mg/kg dwt PNEC Goal) PN	DNEL/DMEL (General population)		
PNEC oral (secondary poisoning) 9.33 mg/kg food mammalian	Long-term - local effects, inhalation	1.2 mg/m³ 24 hours	
Polysulfides, dI-tert-Bu (68937-96-2) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 4.67 mg/kg bodyweight/day DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.58 mg/m² Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC Qual (freshwater) PNEC aqua (marine water) 0.24 μg/l PNEC aqua (marine water) 0.024 μg/l PNEC sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.94 mg/kg dw PNEC sediment (marine water) 4.51 mg/kg bodyweight/day PNEC sevage treatment plant 4.51 mg/kg bodyweight/day Lubricating oils (petroleum)	PNEC (Oral)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal 4.67 mg/kg bodyweight/day DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.58 mg/m² Long-term - systemic effects, inhalation 0.58 mg/m² Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC quia (fireshwater) 0.24 μg/l PNEC aqua (intermittent, freshwater) 0.024 μg/l PNEC Sediment (freshwater) 0.94 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Soil) Soil a la μg/kg dw PNEC (Soil) PNEC (Soil) BNEC (Soil) BNEC (Soral) A la mg/kg dw PNEC (Soil) BNEC (Soral) A la mg/kg dw PNEC (Soral) BNEC (Soral) A la	PNEC oral (secondary poisoning)	9.33 mg/kg food mammalian	
Long-term - systemic effects, dermal 4.67 mg/kg bodyweight/day Long-term - systemic effects, inhalation 3.29 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.58 mg/m² Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC (water) PNEC aqua (fireshwater) 0.24 µg/l PNEC aqua (intermittent, freshwater) 0.024 µg/l PNEC (Sediment) PNEC (Sediment) PNEC (Sediment) PNEC (Sediment) (fireshwater) 0.94 mg/kg dwt PNEC (Sediment) PNEC (Sediment) PNEC (Soli) *** Supplies the state of the s	Polysulfides, di-tert-Bu (68937-96-2)		
Long-term - systemic effects, inhalation 3.29 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.58 mg/m³ Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0.24 μg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.94 mg/kg dwt PNEC soil SPNEC (Soil) PNEC soil (secondary poisoning) 8.66 mg/kg food PNEC (SIP) PNEC savage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-wtd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - local effects, inhalation 5.58 mg/m²	DNEL/DMEL (Workers)		
DNEL/DMEL (General population) Long-term - systemic effects, oral 0.167 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.58 mg/m³ Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) 0.24 μg/l PNEC aqua (freshwater) 0.024 μg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC Sediment (freshwater) 0.094 mg/kg dwt PNEC sediment (freshwater) 0.994 mg/kg dwt PNEC sediment (marine water) 0.994 mg/kg dwt PNEC soil 18.1 μg/kg dw PNEC (Oral) 6.66 mg/kg food PNEC swage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-vt-t, deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - local effects, inhalation 5.58 mg/m² DNEL/DMEL (General population)	Long-term - systemic effects, dermal	4.67 mg/kg bodyweight/day	
Cong-term - systemic effects, oral 0.167 mg/kg bodyweight/day 1.67 mg/kg bodywei	Long-term - systemic effects, inhalation	3.29 mg/m³	
Long-term - systemic effects, inhalation 0.58 mg/m³ Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.0024 µg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC soil 18.1 µg/kg dw PNEC (Soil) PNEC (Oral) PNEC Oral (secondary poisoning) 6.666 mg/kg food PNEC (STP) PNEC swage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal 1.67 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.0024 mg/l PNEC aqua (intermittent, freshwater) 0.094 mg/kg dwt PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.94 mg/kg dwt PNEC sediment (marine water) 18.1 µg/kg dw PNEC (Soil) PNEC voral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC swage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m² Long-term - systemic effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	Long-term - systemic effects,oral	0.167 mg/kg bodyweight/day	
PNEC (Water) PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.024 µg/l PNEC aqua (intermittent, freshwater) 0.0024 mg/l PNEC squa (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC soil 18.1 µg/kg dw PNEC (Oral) PNEC (Oral) PNEC (Oral) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-styleus, deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	Long-term - systemic effects, inhalation	0.58 mg/m³	
PNEC aqua (freshwater) 0.24 µg/l PNEC aqua (marine water) 0.0024 µg/l PNEC squa (intermittent, freshwater) 0.0024 mg/l PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC sediment (marine water) 18.1 µg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-ext deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	Long-term - systemic effects, dermal	1.67 mg/kg bodyweight/day	
PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC soil PNEC soil PNEC soil PNEC soil PNEC soil PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-ext-deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC (Water)		
PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (Oral) PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) DNEL/DMEL (General population)	PNEC aqua (freshwater)	0.24 μg/l	
PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (Oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant A.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population)	PNEC aqua (marine water)	0.024 μg/l	
PNEC sediment (freshwater) 0.94 mg/kg dwt PNEC sediment (marine water) 0.094 mg/kg dwt PNEC (Soil) PNEC soil 18.1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC aqua (intermittent, freshwater)	0.0024 mg/l	
PNEC sediment (marine water) PNEC (Soil) PNEC soil 18.1 µg/kg dw PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC (Sediment)		
PNEC (Soil) PNEC (oral) PNEC (oral) PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC sediment (freshwater)	0.94 mg/kg dwt	
PNEC (oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC sediment (marine water)	0.094 mg/kg dwt	
PNEC (Oral) PNEC oral (secondary poisoning) 6.66 mg/kg food PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC (Soil)		
PNEC oral (secondary poisoning) PNEC (STP) PNEC sewage treatment plant 4.51 mg/l Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC soil	18.1 μg/kg dw	
PNEC (STP) PNEC sewage treatment plant Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation Long-term - local effects, inhalation DNEL/DMEL (General population) DNEL/DMEL (General population)	PNEC (Oral)		
PNEC sewage treatment plant Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC oral (secondary poisoning)	6.66 mg/kg food	
Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC (STP)		
DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	PNEC sewage treatment plant	4.51 mg/l	
Long-term - systemic effects, dermal 0.97 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)			
Long-term - systemic effects, inhalation 2.73 mg/m³ Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	DNEL/DMEL (Workers)		
Long-term - local effects, inhalation 5.58 mg/m³ DNEL/DMEL (General population)	Long-term - systemic effects, dermal	0.97 mg/kg bodyweight/day	
DNEL/DMEL (General population)	Long-term - systemic effects, inhalation	2.73 mg/m³	
	Long-term - local effects, inhalation	5.58 mg/m³	
Long-term - systemic effects,oral 0.74 mg/kg bodyweight/day	DNEL/DMEL (General population)		
	Long-term - systemic effects,oral	0.74 mg/kg bodyweight/day	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-69-2)
PNEC (Oral)

PNEC oral (secondary poisoning) 9.33 mg/kg food

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : amber. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : ≈ -27 °C Pour point Boiling point : Not available Flammability : Non flammable. **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 200 °C Flash point : Not available Auto-ignition temperature

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature : Not available pH : Not available Viscosity, kinematic : $\approx 15 \text{ mm}^2/\text{s} \ 100^{\circ}\text{C}$

Solubility : insoluble in water. Soluble in hydrocarbons.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : 0.896 g/cm³ 15°C
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)	
LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C>25, solvent-ex69-2)	xtd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Polysulfides, di-tert-Bu (68937-96-2)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
Lubricating oils (petroleum), C>25, solvent-ea	ktd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
Aspiration hazard :	Not classified (Kinematic viscosity at 40°C >20.5 mm2/s) (Kinematic viscosity at 40°C >20.5 mm2/s)
ORLEN OIL Hipol 15F	
Viscosity, kinematic	≈ 15 mm²/s 100°C
Distillates (petroleum), hydrotreated heavy pa	araffinic; Baseoil— unspecified; (64742-54-7)
Viscosity, kinematic	> 20.5 mm ² /s 40°C
Lubricating oils (petroleum), C>25, solvent-ex	ktd., deasphalted, dewaxed, hydrogenated; Baseoil— unspecified (101316-
Viscosity, kinematic	> 20.5 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Not rapidly degradable

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)	
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (Rainbow trout) 28 days
NOEC chronic crustacea	100 mg/l Daphnia magna (Water flea) 21 days

4/2/2024 (Revision date) EN (English) 9/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Polysulfides, di-tert-Bu (68937-96-2)	
5	0.838 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)	
Biodegradation	31.13 % 21 days

12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu (68937-96-2)	
Partition coefficient n-octanol/water (Log Kow)	6

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Austria

Austrian National Regulations

: Ordinance of the Federal Minister for Economic Affairs, the Federal Minister for Public Economy and Transport, the Federal Minister for Health, Sport and Consumer Protection and the Federal Minister for Labor and Social Affairs on the storage and filling of flammable liquids (Ordinance on Flammable Liquids - VbF).

Ordinance of the Federal Minister for Agriculture, Forestry, Environment and Water Management on the authorization to purchase poisons, the obligation to record and on special protective measures when dealing with poisons (Poison Ordinance 2000).

Belgium

Belgian National Regulations

: Subject to Biocides closed circuit.

Bulgaria

Bulgarian National Regulations

: Law of protection from the harmful impact of the chemical substances and mixtures. Waste management law.

Ordinance on the conditions and manner for storage of hazardous chemical substances and mixtures

Ordinance on the requirements for the treatment and transportation of waste oils and oil products.

Ordinance on prevention of major accidents involving dangerous substances and limitation their consequences.

Ordinance No 10 on protection of workers from risks involving exposure to carcinogens and mutagens during work.

Ordinance No 13 on protection of workers from the risks related to exposure to chemical agents at work.

Ordinance No.3 on the minimum requirements for the workers' safety and health protection in using personal protection means at the workplace.

Ordinance No. 6 on the terms and conditions for granting permission for work of persons under 18 years of age.

Ordinance No. RD-07-4 on improvement of the working conditions of pregnant workers and workers have recently given birth or nursing mothers.

Health and Safety at Work Act. Environmental Protection Act.

Croatia

Croatian National Regulations

 Chemicals Act, Regulation on classification, labelling and packaging of chemicals, Regulations on dangerous substances.

Waste Act, Waste types regulations, Packaging Waste Regulation, Dangerous. exposure limits on the workplace and biological exposure limits, Regulation (EC) no. 1907/2006. Traffic Safety Act.

Waste Regulation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Czech Republic

Czech National Regulations

: Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Government Regulation no. 330/2023 Coll, amending Regulation no. 361/2007 Coll, governing the conditions of Health Protection at Work, as amended.

Act no. 111/1994 Coll, on road transport and Decree no. 64/1987 Coll, on European Agreement concerning the International Carriage of Dangerous Goods (ADR), as amended,

and related regulations.

Act no. 541/2020 Coll, on waste and amendment of some other acts, as amended.

Act no. 258/2000 Coll, on Public Health Care.

Act no. 350/2011 Coll. on chemical substances and mixtures and amendment of some other

acts (Chemical Act).

Germany

Employment restrictions

 Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
 Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Not classified according to Regulation Governing

Systems for Handling Substances Hazardous to Waters (AwSV)).

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Hungary

Hungarian National Regulations

: 25/2000. (IX.30.) Joint Provision of the Ministry of Health and Social and Family Affairs on the Occupational Safety in Chemistry.

26/2000 (IX.30) Provision of the Ministry of Health on the occupational safety measures against carcinogenic substances and the prevention of health impairments caused by them. Act CLXXXV of 2012 on waste.

Act XXV. of 2000 on the Safety in Chemistry, 44/2000. (XII. 27.) Provision of the Ministry of Health on detailed rules of procedures and activities related to hazardous substances and preparations.

Latvia

Latvian National Regulations

: Cabinet Regulation No. 302, adopted 19 April 2011 "Regulations Regarding Waste Classification and Properties Rendering Waste Hazardous".

Cabinet Regulation No. 325, adopted 15 May 2007 "Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces".

Cabinet Regulation No. 628, adopted 27 August 2013 "Requirements in Relation to Activities with Biocidal Products".

Cabinet Regulation No. 494, adopted 7 August 2018 "Waste shipment accounting

procedures".

Cabinet Regulation No. 795, adopted 22 December 2015 "Procedures for Registration of Chemical Substances and Mixtures and Their Database".

Netherlands

ABM category : Not determined

Norway

Norwegian National Regulations

: People who handle isocyanate-based products need to receive instructions on the characteristics of the compound and be familiar with the working methods which need to be adopted to avoid health hazards.

People under the age of 18 may not work with this product at all.

People who have chronic respiratory disorders should not work with isocyanate-based products.

This training must be provided by a qualified staff.

Only people with former education or training on the subject may be allowed to work with isocyanate-based products, manage or monitor such work.

The user needs to be instructed on how to execute such work, on the dangers surrounding such a product and on the necessary safety instructions.

4/2/2024 (Revision date) EN (English) 13/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sweden

Swedish National Regulations

: This product is in compliance with Ordinance 1998:944.

Poland

Polish National Regulations

: The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Regulation of the Minister of Economy of 21 December 2005 on the essential requirements for personal protective equipment (J. o L. No. 259, item 2173).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

Regulation of the Minister of Health of 10 August 2012 on the criteria and classification method of chemical substances and their mixtures (consolidated text: J. o L. 2015, item 208).

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Health of 20 April 2012 on labelling of hazardous substances and hazardous mixtures and certain mixtures (consolidated text: J. o L. 2015, item 450). Regulation of the Minister of Environment of 3 September 2014 on designs of packaging labelling (J. o L. 2014 item 1298).

Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

The ADR Agreement - Annex to the J. o L. of 26 April 2019 Government Statement of 18 February 2019 on the entry into force of the amendments to Annex A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o L. 2019, item 769).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Romania

Romanian National Regulations

: Government Decision 1093 of 2006 on establishing the minimum safety and health requirements for the protection of workers against the risks related to exposure to carcinogenic agents or mutagens in the workplace.

Government Decision no. 1408 regarding the classification, packaging and labeling for dangerous substances.

Government Decision no. 398 of 2010 regarding the application of Regulation (EC) 1272/2008.

Government Decision no. 477 of 2009 regarding the establishment of the sanctions applicable for the violation of the provisions of Regulation (EC) no. 1.907/2006.

Government Decision no. 937 of 2010 regarding the classification, packaging and labeling of dangerous preparations.

Government Emergency Ordinance no. 122 of 2010 regarding the establishment of the sanctions applicable for the violation of the provisions of Regulation (EC) no. 1272/2008. Law no. 263 of 2005 regarding the modification and completion of Law no. 360 of 2003 regarding the regime of dangerous chemical substances and preparations.

Law no. 349 of 2007 regarding the management of chemical substances amended by Law no. 249/2011 and through GEO no. 60/2013.

Law no. 360 of 2003 regarding the regime of dangerous substances and preparations, completed by Law no. 263 of 2005 and Law no. 254 of 2011.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Slovenia

Slovenian National Regulations

: Decision on the publishing of the Annexes A and B to the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).

Decree on waste management.

Decree on packaging and packaging waste handling.

Rules on the classification, packaging and labelling of dangerous preparations. Rules on the classification, packaging and labelling of dangerous substances. Rules on the protection of workers from the risks related to exposure to chemical substances at work.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Chemicals Act (ZKem).

Switzerland

Swiss National Regulations

: Article 13 Order on the protection of maternity (RS 822.111.52):

Pregnant women and breastfeeding mothers cannot come into contact with this product (this substance/this preparation) when working except where it has been established, on the basis of a risk analysis performed in accordance with Art. 63 OLT 1 (RS 822.111), that there is no concrete threat to the health of the mother or baby or that said threat can be excluded thanks to the suitable protection measures taken.

Article 4, subparagraph 4 Order on the protection of young workers (OLT 5, RS 822.115) and Article 1, letter f Order of the DEFR on dangerous works for young workers (822.115.2): Young workers undergoing initial professional training cannot work with this product (this substance/this preparation) except where envisaged in the order of professional training to achieve the training purposes and if the training plan conditions and applicable age limits are respected. Young workers who do not undergo initial professional training cannot work with this product (this substance/this preparation). Workers of either sex aged under 18 years old are considered as young.

Observe the Chemical Risk Reduction Ordinance (SR 814.81).

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH210	Safety data sheet available on request.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with : ATP 12

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.